

Material Safety Data Sheet

Copyright, 2005, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

SINGUIONIS PRODUCIESANDE COVEDANE E DENVINUEA CLER

PRODUCT NAME: 3M(TM) DEODORIZER - FRESH SCENT - CONCENTRATE (Product No. 13, Twist 'n

Fill(TM) System)

MANUFACTURER: 3M

DIVISION: Commercial Care Division

ADDRESS: 3M Center

St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

Issue Date: 06/14/2005 **Supercedes Date:** 08/12/2002

Document Group: 06-8475-3

Product Use:

Specific Use: Long-lasting deodorizer leaves a fresh, clean scent.

Ingredient	C.A.S. No.	% by Wt
POLYALKOXY ALCOHOLS	69013-18-9	30 - 60
FRAGRANCE (NJTSN 04499600-6517)	Trade Secret	15 - 40
WATER	7732-18-5	10 - 30
SORBITAN POLYETHOXY MONOLAURATE	9005-64-5	10 - 30
DYE	3536-49-0	< 0.05

rskeinen 32 hazards identeikeation

3.1 EMERGENCY OVERVIEW

Specific Physical Form: Liquid

Odor, Color, Grade: Clear; dark blue color; strong fragrance

General Physical Form: Liquid

Immediate health, physical, and environmental hazards: May cause severe eye irritation.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, and itching.

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

SECTION 4. EIRST AIR MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

Skin Contact: Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention.

If Swallowed: Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get medical attention.

SECTION SEFERE RICHTING MIRES DRI

5.1 FLAMMABLE PROPERTIES

Flash Point

Flammable Limits - LEL

Flammable Limits - UEL

OSHA Flammability Classification:

> 212 °F [Test Method: Tagliabue Closed Cup]

No Data Available

No Data Available

Class IIIB Combustible Liquid

5.2 EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: Not applicable.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SOCITON 6: ACCODENTAL RECEASE VIEWS URES

Accidental Release Measures: Observe precautions from other sections. Call 3M- HELPS line (1-800-364-3577) for more information on handling and managing the spill. Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Ventilate the area with fresh air. Contain spill. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Clean up residue with water. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

Being the real properties of the contract of t

7.1 HANDLING

Keep out of the reach of children. This product is not intended to be used without prior dilution as specified on the product label. Avoid breathing of vapors, mists or spray. Avoid skin contact. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid contact with oxidizing agents.

7.2 STORAGE

Keep container in well-ventilated area. Store away from oxidizing agents.

8.1 ENGINEERING CONTROLS

Use in a well-ventilated area.

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILL(TM) Chemical Dispenser, special ventilation is not required.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

Avoid eye contact. NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILL(TM) Chemical Dispenser, eye contact with the concentrate is not expected to occur.

If the product is not used with the Twist 'n Fill system or if there is an accidental release, the following eye protection is recommended: Indirect Vented Goggles.

8.2.2 Skin Protection

Avoid skin contact.

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILL(TM) Chemical Dispenser, skin contact with the concentrate is not expected to occur.

If the product is not used with the Twist 'n Fill system or if there is an accidental release, select and use gloves and/or protective

clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following materials are recommended: Butyl Rubber, Neoprene

8.2.3 Respiratory Protection

Avoid breathing of vapors, mists or spray.

NOTE: When used as directed and diluted and dispensed with a TWIST 'n FILL(TM) Chemical Dispenser, respiratory protection is not required.

If the product is not used with the Twist 'n Fill system or if there is an accidental release, select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: Half facepiece or fullface airpurifying respirator with organic vapor cartridges and N95 particulate prefilters. Consult the current 3M Respiratory Selection Guide for additional information or call 1-800-243-4630 for 3M technical assistance.

8.2.4 Prevention of Swallowing

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

8.3 EXPOSURE GUIDELINES

None Established

STRUMBURION PRESENTATION (SET SEAR LONG) FROM THE PROPERTY OF																	
BOTH S. M. A. M. B. M. C. S. W. MAN SALES SEE SEE SEE SEE SEE SEE SEE SEE SEE																	
Miller to by and the first of the first to a control of the first of t																	

Specific Physical Form: Odor, Color, Grade:

General Physical Form:

Flash Point

Flammable Limits - LEL Flammable Limits - UEL

Boiling point

Vapor Pressure

Specific Gravity

pН

<=27 psia [@ 131 °F]

No Data Available

No Data Available

No Data Available

Clear; dark blue color; strong fragrance

> 212 °F [Test Method: Tagliabue Closed Cup]

1 [Ref Std: WATER=1]

6 - 8.5

Liquid

Solubility in Water Complete

Hazardous Air Pollutants No Data Available **Volatile Organic Compounds** 10 - 30 % [Test Method: calculated per CARB title 2]

Percent volatile 20 - 60 %

VOC Less H2O & Exempt Solvents 122 - 366 g/l [Test Method: calculated per CARB title 2]

Viscosity < 100 centipoise

Stability: Stable.

Materials and Conditions to Avoid: Strong oxidizing agents

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide Condition

During Combustion During Combustion

ENERGY NO NO DE TRANSPORTO DE LOS EN LOS EN LA PORTE DE LA PROPERCIONAL DE LA PORTECIONAL DE LA PROPERCIONAL DE LA PROPERCIONAL

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12-10 COLOCICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

A 3M Product Environmental Data Sheet (PED) is available.

CHEMICAL FATE INFORMATION

A 3M Product Environmental Data Sheet (PED) is available.

REPARED ON THE PROPERTY OF THE

Waste Disposal Method: Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

NKWIONIEWERWANKIERERIGERERIE

 ID Number
 UPC
 ID Number
 UPC

 70-0708-4013-0
 00-48011-20121-9
 70-0709-9001-8
 00-48011-29616-1

 70-0710-0973-5
 00-48011-23896-3
 70-0711-6338-3
 00-48011-34888-4

 70-0711-9212-7
 00-48011-20121-9

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

SECTIONS TRUCKS AND THE STATE OF

US FEDERAL REGULATIONS

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

STATE REGULATIONS

CHEMICAL INVENTORIES

The components of this product are in compliance with the chemical notification requirements of TSCA.

All applicable chemical ingredients in this material are listed on the European Inventory of Existing Chemical Substances (EINECS), or are exempt polymers whose monomers are listed on EINECS.

All the components of this product are listed on China's Inventory of Chemical Substances.

The components of this product are listed on the Canadian Domestic Substances List.

INTERNATIONAL REGULATIONS

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SHEETONS 6. OF BUILDING PROPERTY ASSESSED.

NFPA Hazard Classification

Health: 2 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification

Health: 2 Flammability: 1 Reactivity: 0 Protection: X - See PPE section.

Hazardous Material Identification System (HMIS®) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint and Coatings Association (NPCA).

Revision Changes:

Section 1: Product use information was modified.

Section 16: NFPA hazard classification heading was modified.

Section 16: HMIS hazard classification heading was modified.

Section 16: NFPA hazard classification for health was modified.

Section 16: HMIS hazard classification for health was modified.

Copyright was modified.

Section 4: First aid for eye contact - decontamination - was modified.

Section 3: Potential effects from eye contact was modified.

Section 3: Potential effects from skin contact information was modified.

Section 3: Potential effects from inhalation information was modified.

Section 3: Potential effects from ingestion information was modified.

Section 5: Fire fighting procedures information was modified.

Section 6: Release measures information was modified.

Section 7: Handling information was modified.

- Section 7: Storage information was modified.
- Section 8: Engineering controls information was modified.
- Section 8: Eye/face protection phrase was modified.
- Section 8: Respiratory protection information was modified.
- Section 15: 311/312 hazard categories heading was modified.
- Section 4: First aid for skin contact decontamination was modified.
- Section 4: First aid for ingestion (swallowing) decontamination was modified.
- Section 4: First aid for ingestion (swallowing) medical assistance was modified.
- Section 10: Hazardous polymerization heading was modified.
- Section 14: ID Number(s) and/or UPC(s) was modified.
- Section 2: Ingredient table was modified.
- Section 16: HMIS explanation was modified.
- Section 16: NFPA explanation was modified.
- Section 15: Inventories information was modified.
- Section 12: Ecotoxicological information heading was modified.
- Section 12: Chemical fate information heading was modified.
- Section 9: Vapor pressure value was modified.
- Section 9: Boiling point information was modified.
- Section 5: Flash point information was modified.
- Section 9: Property description for optional properties was modified.
- Section 9: Specific gravity information was modified.
- Section 9: pH information was modified.
- Section 16: NFPA hazard classification for special hazards was modified.
- Section 8: Exposure guidelines information none was modified.
- Section 9: Flash point information was modified.
- Section 8: Eye/face protection comment was added.
- Section 8: Skin protection comment was added.
- Section 8: Respiratory protection comment was added.
- Section 3: Immediate eye hazard(s) was added.
- Section 2: Ingredient phrase was added.
- Section 12: Ecotoxicological phrase was added.
- Section 12: Chemical Fate phrase was added.
- Section 3: Potential effects from skin contact comment was deleted.
- Section 8: Eye/face protection information was deleted.
- Section 4: First aid for skin contact termination of exposure was deleted.
- Section 4: First aid for skin contact handling was deleted.
- Section 8: Eye/face protection text was deleted.
- Section 12: Ecotoxicological ecotox article information was deleted.
- Section 9: Density information was deleted.
- Section 9: Vapor density value was deleted.
- Section 5: Autoignition temperature information was deleted.
- Section 9: Melting point information was deleted.
- Section 12: Ecotoxicological ecofate information was deleted.
- Section 9: Autoignition temperature information was deleted.
- Section 8: Eye/face protection information punctuation was deleted.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

3M MSDSs are available at www.3M.com