

MATERIAL SAFETY DATA SHEET 3M
 3M Center
 St. Paul, Minnesota
 55144-1000
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this
 information for the purpose of properly utilizing 3M products
 is allowed provided that:

- 1) the information is copied in full with no changes unless
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise
 distributed with the intention of earning a profit thereon.

DIVISION: COMMERCIAL CARE DIVISION

TRADE NAME:

3M Brand SPRAY BUFF CLEANER & POLISH

ID NUMBER/U.P.C.:

61-5000-3879-1 00-48011-08854-4 CN-1006-3817-6 - - -

ISSUED: November 13, 2001

SUPERSEDES: October 03, 2001

DOCUMENT: 10-9283-2

1. INGREDIENT	C.A.S. NO.	PERCENT
WATER.....	7732-18-5	60 - 90
HYDROTREATED HEAVY NAPHTHA (PETROLEUM)..	64742-48-9	10 - 30
ACRYLIC ACID, POLYMERS.....	9003-01-4	< 1
POLYOXYETHYLENE MONOOCTYLPHENYL ETHER...	9036-19-5	< 1
FORMALDEHYDE.....	50-00-0	< 0.04

IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24
 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.
 The components of this product are in compliance with the chemical
 notification requirements of TSCA.

This product contains the following toxic chemical or chemicals subject to
 the reporting requirements of Section 313 of Title III of the Emergency
 Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:

FORMALDEHYDE

2. PHYSICAL DATA

BOILING POINT:..... 200 F
 VAPOR PRESSURE:..... N/D
 VAPOR DENSITY:..... 3.9 Air=1
 for C.A.S. No. 64741-65-7
 EVAPORATION RATE:..... N/D
 SOLUBILITY IN WATER:..... complete
 SPECIFIC GRAVITY:..... 0.96 Water=1
 PERCENT VOLATILE:..... 95 - 98 %
 pH:..... 8 - 9

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand SPRAY BUFF CLEANER & POLISH
November 13, 2001

PAGE 2

2. PHYSICAL DATA (continued)

VISCOSITY:..... N/D

MELTING POINT:..... N/A

APPEARANCE AND ODOR:

liquid, opaque white, low viscosity

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... 122 F TCC

FLAMMABLE LIMITS - LEL:..... 1.0 %

FLAMMABLE LIMITS - UEL:..... 7.0 %

AUTOIGNITION TEMPERATURE:..... 473 F

for C.A.S. No. 64741-65-7

EXTINGUISHING MEDIA:

Water, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

See Hazardous Decomposition section for products of combustion.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 2 REACTIVITY: 0

UNUSUAL REACTION HAZARD: none

OSHA FIRE HAZARD CLASS: Class II Combustible Liquid

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

Heat.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide, Formaldehyde.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand SPRAY BUFF CLEANER & POLISH
November 13, 2001

PAGE 3

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Ventilate area. Extinguish all ignition sources. Contain spill. Cover with absorbent material. Collect using non-sparking tools. Clean up residue with water. Place in an approved metal container. Seal the container.

RECOMMENDED DISPOSAL:

Incinerate in a permitted hazardous waste incinerator. Dispose of empty cans in a sanitary landfill.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: ca. 14 %.
VOC Less H2O & Exempt Solvents: ca. 14 %.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = D001 (Ignitable)

TSCA: All components used in the manufacture of this material are in compliance with the US TSCA inventory.

EPCRA HAZARD CLASS:

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

IF SWALLOWED:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand SPRAY BUFF CLEANER & POLISH
November 13, 2001

PAGE 4

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Avoid eye contact.

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Avoid prolonged breathing of spray or mists.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Keep container closed when not in use. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Keep container tightly closed. Keep away from heat, sparks, open flame, and other sources of ignition. Combustible liquid and vapor.

HMIS HAZARD RATINGS: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0
PERSONAL PROTECTION: X (See precautions, section 7.)

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATER.....	NONE	NONE	NONE	NONE	
HYDROTREATED HEAVY NAPHTHA (PETROLEUM).....	100	PPM	TWA	3M	
HYDROTREATED HEAVY NAPHTHA (PETROLEUM).....	300	PPM	TWA	CMRG	
ACRYLIC ACID, POLYMERS.....	NONE	NONE	NONE	NONE	
POLYOXYETHYLENE MONOOCTYLPHENYL ETHER.....	NONE	NONE	NONE	NONE	
FORMALDEHYDE.....	0.3	PPM	CEIL	ACGIH	
	SENSITIZER				
FORMALDEHYDE.....	0.75	PPM	TWA	OSHA	
	OSHA STANDARD 1910.1048				
FORMALDEHYDE.....	0.5	PPM	TWA	OSHA	
	OSHA ACTION LEVEL				

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand SPRAY BUFF CLEANER & POLISH
November 13, 2001

PAGE 5

EXPOSURE LIMITS (continued)

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
------------	-------	------	------	------	-------

SOURCE OF EXPOSURE LIMIT DATA:

- 3M: 3M Recommended Exposure Guidelines
- ACGIH: American Conference of Governmental Industrial Hygienists
- CMRG: Chemical Manufacturer Recommended Exposure Guidelines
- OSHA: Occupational Safety and Health Administration
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, and hazy vision.

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching.

INHALATION:

Single overexposure, above recommended guidelines, may cause:

Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

REPRODUCTIVE/DEVELOPMENTAL TOXINS:

WARNING: Contains a chemical which can cause birth defects or other reproductive harm. (Calif. Proposition 65)

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M Brand SPRAY BUFF CLEANER & POLISH
November 13, 2001

PAGE 6

SECTION CHANGE DATES

HEALTH HAZARD DATA SECTION CHANGED SINCE October 03, 2001 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.