

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

| | | Not controlled under WHMIS (Canada). | НС | CS Class: I | rritating substance. |
|-----------------------------|---------------|---|-----------------|-------------|-----------------------|
| WHMIS (Pictogram | ms) | WHMIS (Classification) | | | HCS |
| Section 1. Che | emical | Product and Company Identification | | | |
| Product Name/ Trade name | Fini | sh 101 | Code | | 696 |
| Synonym | Not av | /ailable. | CAS# | | Mixture. |
| Chemical Family | Not av | /ailable. | Valida | tion Date | 11/9/2005 |
| Chemical Formula | Not ap | oplicable. | Print I | Date | 11/9/2005 |
| Manufacturer/ Supplier | 1001 Toled | Corporation Brown Avenue o, Ohio 43607 333-2156 | In Case Emerger | | EMTREC (800) 424-9300 |
| TSCA | TSCA I | nventory: All components listed or are exempt from listing. | | | |
| DSL/ NDSL | All con | nponents listed unless noted elsewhere on this MSDS | | Prot | ective Clothing |

| Section 2. Composition and Information on Ingredients | | | | |
|---|---|------------------------------------|---|--|
| Name | CAS# | % by Weight | Exposure Limits | LC ₅₀ /LD ₅₀ |
| Acrylate Copolymer Diethylene Glycol Ethyl Ether | N/A 111-90-0 | 15 - 20 1 - 5 | Not available. TWA: 25 ppm CEIL: 25 ppm | Not available. ORAL (LD50): Acute: 5540 mg/kg [Rat]. |
| Dipropylene Glycol Methyl Ether | 34590-94-8 | 1 - 5 | ACGIH TLV (United States). TWA: 100 ppm 8 hour(s). STEL: 150 ppm 15 minute(s). OSHA PEL (United States). TWA: 100 ppm 8 hour(s). ACGIH TLV (United States). TWA: 100 ppm 8 hour(s). | Not available. |
| Tributoxyethyl Phosphate Oxidized Ethylene Copolymer Ammonium Hydroxide Ethoxylated Secondary Alcohol | 78-51-3 68441-17-8 1336-21-6 TSRN 48515005-5071 | 1 - 5 1 - 2 1 - 2 0.1 - 1 | Not available. Not available. Not available. Not available. | Not available. Not available. Not available. Not available. |

| Section 3. Hazards Identification | | |
|-------------------------------------|---|--|
| Potential Acute Health Effects | Hazardous in case of eye contact (irritant), of ingestion. Slightly hazardous in case of skin contact (irritant), . | |
| Potential Chronic Health Effects | Repeated skin exposure can produce local skin destruction, or dermatitis. | |
| Carcinogenic Effects | Not classified or listed by IARC, NTP, OSHA, EU and ACGIH. | |

| Section 4. First Aid Measures | | |
|-------------------------------|--|--|
| Eye Contact | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention. | |
| Skin Contact | Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used. | |
| Inhalation | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear. | |
| Ingestion | Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband. | |

| Section 5. Fire Fighting Measures | |
|---|-----------------|
| Products of Combustion | Not applicable. |
| Fire Fighting Media and Instructions | Not applicable. |
| Special Remarks on Fire Hazards | Not available. |
| Special Remarks on Explosion Hazards | Not available. |

| Section 6. Accidental Release Measures | | |
|---|--|--|
| Small Spill and Leak | Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. | |
| Large Spill and Leak | Absorb with an inert material and put the spilled material in an appropriate waste disposal. Absorb with DRY earth, sand or other non-combustible material. Do not allow any potentially contaminated water including rain water, runoff from fire fighting or spills to enter any waterway, sewer or drain. | |
| Personal Protection in Case of a Large Spill | Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. | |

| Section 7. Handling and Storage | | |
|---------------------------------|--|--|
| Precautions | Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids, alkalis. | |
| Incompatibility | Reactive with oxidizing agents, acids, alkalis. | |
| Storage | Keep container tightly closed. Keep container in a cool, well-ventilated area. | |

Section 8. Exposure Controls/Personal Protection

Engineering Controls

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection

Eyes Safety glasses.

Body No special protective clothing is required.

Respiratory A respirator is not needed under normal and intended conditions of product use. Wear appropriate respirator when ventilation is inadequate.

Hands Impervious gloves.

Protective Clothing (Pictograms)



Exposure Limits

See Section 2 For Applicable Exposure Limits

| Physical State and Appearance | Liquid. | Odor | Characteristic. |
|----------------------------------|---|--------------------|-----------------|
| Molecular Weight | Not applicable. | Taste | Not available. |
| рН | Not available. | Color | White. |
| Boiling/Condensation Point | 100°C (212°F) | | |
| Melting/Freezing Point | May start to solidify at 0°C (32°F) | based on data for: | Water. |
| Critical Temperature | Not available. | | |
| Instability Temperature | Not available. | | |
| Specific Gravity | 1.03 | | |
| Vapor Pressure | Not available. | | |
| Vapor Density | Not available. | | |
| Volatility | >50% (w/w). | | |
| VOC | 62.034 (g/l). | | |
| Evaporation Rate | <1 compared to Butyl acetate. | | |
| | | | |
| Dispersion Properties | See solubility in water, methanol, | acetone. | |
| Solubility | Easily soluble in methanol, aceto Partially soluble in cold water, ho | | |
| The Product is: | Non-flammable. | | |
| Auto-ignition Temperature | Not applicable. | | |
| Flash Points | Not applicable. | | |
| Flammable Limits | Not applicable. | | |

| Fire Hazards in Presence of Various Substances | Not applicable. |
|---|-----------------|
| Explosion Hazards in Presence of Various Substances | Not available. |


| Section 10. Stability and Reactivity Data | |
|---|---|
| Stability | The product is stable. |
| Incompatibility with Various Substances | Reactive with oxidizing agents, acids, alkalis. |
| Hazardous Decomposition Not available. Products | |

| Section 11. Toxico | logical Information |
|--|--|
| Routes of Entry | Dermal contact. Eye contact. Inhalation. Ingestion. |
| Toxicity to Animals | Acute oral toxicity (LD50): 5540 mg/kg [Rat]. (Diethylene Glycol Ethyl Ether). |
| Acute Effects on Humans | |
| Eyes | Hazardous in case of eye contact (irritant). |
| Skin | Sensitization of the product: Not available. Slightly hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. |
| Inhalation | May be irritating to respiratory system, especially at elevated temperatures. |
| Ingestion | Hazardous in case of ingestion. |
| Chronic Effects on Humans | Repeated skin exposure can produce local skin destruction, or dermatitis. |
| Special Remarks on Toxicity to Animals | Not available. |
| Special Remarks on Chronic Effects on Humans | Not available. |

| Section 12. Ecological Information | | |
|---|--|--|
| Ecotoxicity | Not available. | |
| BOD5 and COD | Not available. | |
| Products of Biodegradation | These products are nitrogen oxides (NO, NO ₂). | |
| Toxicity of the Products of Biodegradation | Not available. | |
| Special Remarks on the Products of Biodegradation | Not available. | |

Section 13. Disposal Considerations Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations. Waste Stream Not available.

Section 14. Transport Information DOT (U.S.A) (Pictograms) TDG Classification PIN UN, Proper Shipping Not applicable. Name, PG Maritime Transportation Not available. Special Provisions for Not available. Transport



| Section 16. Other Information | | | | |
|-------------------------------------|--|--|--|--|
| Validated by CRushton on 11/9/2005. | | Verified by CRushton. Printed 11/9/2005. | | |
| | | | | |
| Information Contact | Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 | | | |
| Notice to Reader | | | | |

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

| Validated on 11/9/2005. | Finish 101 | Page: 6/6 |
|-------------------------|------------|-----------|

Continued on Next Page