

MATERIAL SAFETY DATA SHEET

DISPATCH Heavy-Duty Carpet Prespray (at strongest 1:12 dilution)

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: DISPATCH Heavy-Duty Carpet Prespray (at strongest 1:12 dilution)

MANUFACTURER

The Butcher Company 67 Forest Street Marlborough, MA 01752-3012

 Butcher Telephone Number:
 800-225-9475

 Emergency Telephone (24 hours):
 800-228-5635

 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'I):
 +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT	
Tripropylene glycol methyl ether	25498-49-1	0.25 - <1.0	
Diethylene glycol monobutyl ether	112-34-5	0.25 - < 1.0	
Linear primary alcohol ethoxylate	34398-01-1	0.25 - <1.0	

See Section 8 for Exposure Limits NA - Not Applicable

Not expected to be irritating or harmful if inhaled.

INGESTION:

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

3. HAZARDS IDENTIFICATION

May cause temporary mouth, throat and stomach discomfort. Symptoms may include nausea.

MSDS No: 4366dil Page: 1 of 6

DISPATCH Heavy-Duty Carpet Prespray (at strongest 1:12 dilution)

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

EFFECTS OF CHRONIC EXPOSURE:

None known.

MEDICAL CONDITIONS AGGRAVATED:

None known.

4. FIRST AID MEASURES

EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention if irritation develops.

SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

INHALATION:

Remove to fresh air. Get medical attention if symptoms persist.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get medical attention.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

MSDS No: 4366dil Page: 2 of 6

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

6. ACCIDENTAL RELEASE MEASURES

Contain spill. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Use good personal hygiene practices. No special precautions are required for anticipated conditions of use. Remove saturated clothing.

STORAGE:

No special storage practices are required. Keep container closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKIN:

Not required under normal conditions of use.

RESPIRATORY:

Not required under normal conditions of use.

ENGINEERING CONTROLS:

No special controls are required.

EXPOSURE LIMITS:

IGREDIENT(S) OSHA PEL/STEL		ACGIH TLV/STEL	
Tripropylene glycol methyl ether	NA	NA	
Diethylene glycol monobutyl ether	NA	NA	
Linear primary alcohol ethoxylate	NA	NA	

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Fresh

APPEARANCE: Clear, Colorless

pH: 9.9

PERCENT VOLATILE BY WEIGHT: 99
VAPOR PRESSURE: Not Available

MSDS No: 4366dil Page: 3 of 6

DISPATCH Heavy-Duty Carpet Prespray (at strongest 1:12 dilution)

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

VAPOR DENSITY: Not Available BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available

SPECIFIC GRAVITY: 1.00 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None known.

INCOMPATIBLE MATERIALS:

None known.

11. TOXICOLOGICAL INFORMATION

ACUTE DATA:

This product may cause eye irritation at strongest recommended dilution. The following data are available for product ingredients:

Tripropylene glycol methyl ether 3200 mg/kg >2000 mg/kg Not Available Diethylene glycol monobutyl ether 5660 mg/kg 4120 mg/kg Not Available Linear primary alcohol ethoxylate 700–1700 mg/kg >2000 mg/kg Not Available

SENSITIZATION DATA:

No data available.

CHRONIC DATA:

No data available.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

MSDS No: 4366dil Page: 4 of 6

DISPATCH Heavy-Duty Carpet Prespray (at strongest 1:12 dilution)

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

SYNERGISTIC MATERIALS:

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, at its recommended use dilution, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard category: Immediate.

313 REPORTABLE INGREDIENTS: Ingredients in this product are not currently subject to notification.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)CAS NO.STATE LISTINGWater7732-18-5Not Listed

NA - Not Applicable

STATE REGULATIONS: Product contains a mixture of surfactant and cleaning agents below State reporting requirements.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

Class D-Division 2B, eye irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

MSDS No: 4366dil Page: 5 of 6

Date Prepared: 09/18/2000 Date Revised: 09/19/2000

16. OTHER INFORMATION

HMIS RATING

HEALTH	-	1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

FIRE 0 1 0 REACTIVITY

NFPA RATING

SPECIAL

HEALTH

MSDS STATUS New MSDS

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 09/19/2000

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 4366dil Page: 6 of 6