

MATERIAL SAFETY DATA SHEET

RIPTIDE II Foaming Shower Room Cleaner MSDS Ref. No: 4306 Date Prepared: 03/18/2002 Date Revised: 03/18/2002

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME/USE: RIPTIDE II Foaming Shower Room Cleaner
35 RIPTIDE II Foaming Shower Room Cleaner Concentrate;

Command Center 35 RIPTIDE II Foaming Shower Room Cleaner Concentrate

MANUFACTURER

 The Butcher Company
 Butcher Telephone Number:
 800-225-9475

 67 Forest Street
 Emergency Telephone (24 hours):
 800-228-5635

 Marlborough, MA 01752-3012
 CHEMTREC (U.S./Can.):
 800-424-9300

 CHEMTREC (Int'I):
 +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS#	% BY WEIGHT
Organic acid salt	506-89-8	10 - 25
2-Butoxyethanol	111-76-2	3 - 5
Cocamidopropylaminobetaine	61789-40-0	1 - 3
Lauryl dimethylamine oxide	1643-20-5	1 - 1.5
Linear primary alcohol ethoxylate	34398-01-1	1 - 1.5

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear, Pink Liquid . Wintergreen Odor. Causes Eye Irritation. May Cause Skin Irritation. May Cause Respiratory Tract Irritation. May Be Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: \underline{X} Eye \underline{X} Skin Contact \underline{X} Skin Absorption \underline{X} Inhalation \underline{X} Ingestion

EFFECTS OF ACUTE EXPOSURE

EYES: May cause severe eye irritation. Symptoms may include pain, tearing, redness, and clouding of the eye surface.

SKIN: May cause skin irritation. Symptoms may include redness, rash and mild swelling.

INHALATION: High concentrations of vapor or mist may cause nose, throat, and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat and a disagreeable metallic taste.

INGESTION: Harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain. May also cause central nervous system effects including headache, dizziness and

weakness.

EFFECTS OF CHRONIC EXPOSURE: Prolonged contact may cause severe skin irritation. Symptoms may include pain, redness, rash, and swelling.

MEDICAL CONDITIONS AGGRAVATED: May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

SKIN: Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

INHALATION: Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION: Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: > 93°C (200°F)TCC

FLAMMABLE LIMITS: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS: Normal products of combustion (carbon monoxide and carbon dioxide) and nitrogen oxides. Hydrogen and chlorine.

FIRE AND EXPLOSION HAZARDS: At elevated temperatures (140 F/60 C) can react with common metals to form potentially explosive hydrogen gas.

FIRE FIGHTING INSTRUCTIONS: This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Ventilate spill area. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop and absorbent to collect material for proper disposal. Use non-metallic implements for cleaning and collection. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING: Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with skin, eyes and clothing. Use with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

STORAGE: Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE: Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKIN: Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

RESPIRATORY: No respiratory protection is required if general room ventilation is adequate and airborne concentrations are

kept below exposure limits. When exposure limits are exceeded, use appropriate respiratory protection (NIOSH/MSHA) to prevent overexposure.

ENGINEERING CONTROLS: Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

EXPOSURE LIMITS:

INGREDIENT(S)	OSHA PEL/STEL	ACGIH TLV/STEL
Organic acid salt	NA	NA
2-Butoxyethanol	25 ppm 120 mg/m3 /	25 ppm 121 mg/m3 /
	Skin	Skin
Cocamidopropylaminobetaine	NA	NA
Lauryl dimethylamine oxide	NA	NA
Linear primary alcohol ethoxylate	NA	NA

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Wintergreen APPEARANCE: Clear, Pink

pH: 0.3 to 1.2

PERCENT VOLATILE BY WEIGHT: 80
VAPOR PRESSURE: Not Determined
VAPOR DENSITY: Not Determined
BOILING POINT: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.05 VISCOSITY: Water Thin

OCTANOL/WATER PARTITION COEFFICIENT: Not Determined

ODOR THRESHOLD: Not Determined

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None known.

INCOMPATIBLE MATERIALS: Oxidizers (e.g., bleach), strong bases (e.g., sodium hydroxide) and reactive metals (e.g.,

aluminum).

11. TOXICOLOGICAL INFORMATION

ACUTE DATA: No data is available for this product. Acute overexposure to high concentrations of ethanol, 2-butoxy by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals. The following additional data are available for product ingredients:

PRODUCT/INGREDIENT	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Organic acid salt	1121 - mg/kg	Not Available	Not Available
2-Butoxyethanol	470 - mg/kg	220 - mg/kg	450 - ppm (4-hr)
Cocamidopropylaminobetaine	Not Available	Not Available	Not Available
Lauryl dimethylamine oxide	400 - mg/kg	Not Available	Not Available
Linear primary alcohol ethoxylate	700 - 1700 mg/kg	>2000 - mg/kg	Not Available

SENSITIZATION DATA: No data available.

CHRONIC DATA:

Prolonged overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals.

REPRODUCTIVE/TERATOGENIC DATA: No data available.

CARCINOGENIC/MUTAGENIC DATA: Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS: No data available.

12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA hazardous waste (Corrosive-D002) in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive---selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

313 REPORTABLE INGREDIENTS: 2-Butoxyethanol is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
Organic acid salt	506-89-8	Not Listed
2-Butoxyethanol	111-76-2	MA, NJ, PA
Cocamidopropylaminobetaine	61789-40-0	Not Listed
Lauryl dimethylamine oxide	1643-20-5	Not Listed

NA - Not Applicable


CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Class D-Division 2B, eye and skin irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

HMIS RATING





APPROVED BY: Product Safety & Regulatory

MSDS STATUS
Revision No: 3

Revision #: 3

This MSDS replaces the January 19, 2000 MSDS. Any changes in information are as follows:

In Section 1

Approved by Date Prepared [] Print CHEMTREC Phone Number

In Section 3

Potential Health Effects - Skin Absorption Signs & Symptoms - Inhalation

In Section 10

Hazardous Decomposition Products

In Section 11

Toxicological

In Section 15

OSHA Hazard Comm. Rule WHMIS Class

APPROVAL DATE: 03/18/2002

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.