

ENFORCER Products, Inc. P.O. Box 1060 Cartersville, GA 30120 1-888-805-HELP

# **Material Safety Data Sheet**

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Heavy Duty Drain Opener

Product Code PHDO32/64 CNPHDO-64

Date of issue 8/20/03 Supersedes 3/26/02

**Emergency Telephone** For MSDS Information:

Numbers Compliance Services (404) 352-1680

For a Medical Emergency:

CHEM-TEL

(800) 255-3924 (Toll Free - Calls Recorded)

For a Transportation Emergency:

CHEMTREC

(800) 424-9300 (Toll Free - Calls Recorded)

Printing Date: Prepared by

Compliance Services Group Acuity Specialty Products Group 1420 Seaboard Industrial Blvd. Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

 Name of Hazardous Ingredients
 CAS #
 % by Weight
 Exposure Limits

 SODIUM HYDROXIDE; caustic soda; soda lye
 1310-73-2
 15-25
 ACGIH / OSHA (United States).

 CEIL: 2 mg/m³

#### Section 3. Hazards Identification

Acute Effects Routes of Entry Eye contact. Ingestion.

**Skin** Hazardous in case of skin contact (corrosive). Skin contact may produce burns.

**Eyes** Hazardous in case of eye contact (corrosive).

Inhalation Hazardous in case of inhalation (lung corrosive). Inhalation of the vapor may produce severe irritation of

respiratory tract, characterized by coughing, choking, or shortness of breath. May be fatal if swallowed. May cause burns to mouth, throat and stomach.

Carcinogenic Effects Not listed as carcinogen by OSHA, NTP or IARC.

Chronic Effects Repeated or prolonged contact with spray mist m

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation

leading to frequent attacks of bronchial infection.

See Toxicological Information (section 11)

#### Section 4. First Aid Measures

**Eye Contact** Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping

evelids open. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

ir initiated, remove to fresh air. If not breatning, give artificial respiration. If breatning is difficult, give oxygen. Get

medical attention immediately.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious

 $person. \ Loosen \ tight \ clothing \ such \ as \ a \ collar, tie, belt \ or \ waistband. \qquad Get \ medical \ attention \ immediately.$ 

#### Section 5. Fire Fighting Measures

Flash Point Not available. Flammable Limits Not available.

**Flammability** Not available. Fire Hazard Not applicable.

**Fire-Fighting Procedures**Use DRY chemicals, CO2, water spray or foam.



**HMIS** 

3

0

0

В

**Health** 

ire Hazard

Reactivity

Personal

Protection

#### Section 6. Accidental Release Measures

**Spill Clean up** Absorb with an inert material and place in an appropriate waste disposal container.

# Section 7. Handling and Storage

**Handling** Do not breathe vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area. Store between 40°F and 120°F. Keep out of the reach

of children.

Product Code PHDO32/64 Material Safety Data Sheet Product Name Heavy Duty Drain Opener

# Section 8. Exposure Controls, Personal Protection

**Personal Protection** 

**Protective Clothing (Pictograms)** 

**Eyes** Splash goggles.

**Body** Protective gloves should be worn during handling.

**Respiratory** Use with adequate ventilation.

Section 9. Physical and Chemical Properties

 Physical State
 Liquid.
 Color Colorless.

 pH
 >14 [Basic.]
 Odor Odorless.

 Boiling Point
 100°C (212°F)
 Vapor Pressure Not available.

 Specific Gravity
 1.26 (Water = 1)
 Vapor Density Not available.

 Solubility
 Not available.
 Evaporation Rate
 1 compared to Water

VOC (Consumer) 0 (g/l).

#### Section 10. Stability and Reactivity

Stability and ReactivityThe product is stable.IncompatibilityAcids, oxidizing agentsHazardous PolymerizationWill not occur.Hazardous Decomposition ProductsNone known.

#### Section 11. Toxicological Information

Toxicity to Animals Sodium hydroxide:

ORAL (LD50): Acute: 500 mg/kg [Rat]

# Section 12. Ecological Information Ecotoxicity Not available.

**Ecotoxicity** Not available. **Biodegradable/OECD** Not available.

# Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream RCRA waste - D002

Consult your local or regional authorities.

## Section 14. Transport Information

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide) or Consumer Commodity ORM-D in Limited Quantity

**DOT Classification** Class 8: Corrosive liquid.

UN number UN3266

TDG Classification TDG Class 8: Corrosive liquid.

TDG Class 9.2: Environmentally hazardous material.

#### Section 15. Regulatory Information

**U.S. Federal Regulations** SARA 313 toxic chemical notification and release reporting: No products were found.

Clean Water Act (CWA) 311: Sodium hydroxide

Clean air act (CAA) 112 regulated toxic substances: No products were found.

**State Regulations** California prop. 65: No products were found.

WHMIS (Canada) Class D-1A: Material causing immediate and serious toxic effects (VERY TOXIC).

Class E: Corrosive liquid.

## Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.